

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-190720

(43)Date of publication of application : 17.07.2001

(51)Int.Cl. A63B 53/04

(21)Application number : 2000-003204 (71)Applicant : BRIDGESTONE SPORTS CO LTD


(22)Date of filing : 12.01.2000 (72)Inventor : NISHITANI MASASHI

(54) IRON GOLF CLUB HEAD AND ITS MANUFACTURING METHOD

(57)Abstract:

PROBLEM TO BE SOLVED: To improve the flight distance by further lowering the center of gravity and deepening the depth of the center of gravity.

SOLUTION: The iron golf club head has a cavity 8 surrounded by ribs 4 to 7 in on the back face 3. On the inner wall surface, facing the cavity 8, of the rib 4 on the sole 9 side, an extended back wall 10A is formed extending along the back face 3 up to near the sole 9. An inclined wall 10B is formed by cutting the inner side of the rib 4 in such way that the wall extends diagonally backwards from the lowest part of the extended back wall 10A and a wedge-shaped second cavity 10 is formed.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's
decision of rejection]

[Date of requesting appeal against examiner's
decision of rejection]




[Date of extinction of right]


Copyright (C); 1998,2000 Japan Patent Office

*** NOTICES ***


Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.


DRAWINGS**[Drawing 1]****[Drawing 2]****[Drawing 3]****[Drawing 4]**




[Drawing 5]




[Drawing 6]



[Drawing 7]



[Drawing 8]



[Translation done.]